

COMING  
SOON

# MS2600 & MS2900 Series Mortice Locks

Precision and  
dependability.



**Two strong global brands—  
Dorma and Kaba – have  
combined forces and are now  
offering you a comprehensive  
portfolio of smart & secure  
access solutions, all from one,  
reliable source.**

Our new product portfolio includes everything from locks and keys to a fully networked electronic access solution, and everything from door closers and automatic doors to a mobile partition system.

All supported by a comprehensive service network.

# Table of contents

	<b>Mortice Locks</b>			<b>Accessories</b>
4-5	Overview		22	Cams
6	Technical details		23	Adaptors and Cylinder Turns
7	Ordering procedure chart		24	Extended Strikes
	<b>MS2600 Series Nightlatch</b>		25	Rebate Sets and Fabricator Kits
8	Specifications and dimensions		26	Face Plates and Strike Plates
9	MS2600 Series Nightlatch Functions			
	<b>MS2601 Series Deadbolt</b>			
10	Specifications and dimensions			
11	MS2601 Series Deadbolt Functions			
	<b>MS2602 Series Vestibule</b>			
12	Specifications and dimensions			
13-15	MS2602 Series Vestibule Lock Functions			
	<b>MS2603 Series Sliding Deadbolt</b>			
16	Specifications and dimensions			
17	MS2603 Series Sliding Deadbolt Functions			
	<b>MS2604 Series Combination</b>			
18	Specifications and dimensions			
19-21	MS2604 Series Combination Lock Functions			

# MS2600 & MS2900 Series Mortice Locks

dormakaba Mortice Locks are heavy duty, stainless steel, fire rated products which have been designed, engineered and built for optimal performance across a full range of applications.

## Finishes

SSS Satin Stainless Steel  
PSS Polished Stainless Steel  
Other finishes upon application

## Keying

Can be grand master keyed, master keyed, keyed alike or construction keyed in all leading restricted and non-restricted keying systems and key profiles.

## Fire Rating

The MS2600 Series mortice locks have been successfully tested on fire door assemblies to comply with Australian Standard AS1905.1 Part 1, Fire Resistant Door Sets. All testing is carried out by independent laboratories.



## SCEC Approved


The dormakaba MS2602, MS2601 & MS2601B are approved by the Security, Construction and Equipment Committee for use by Australian Government departments and organisations.




## Handing of door

### Right - hand door

### Left - hand door



01



01

**01**  
Outside  
door opening  
**IN**



02



02

**02**  
Outside  
door opening  
**OUT**

### Sliding door



01



02

**01**  
Outside  
Right hand

**02**  
Outside  
Left hand

**Note:** Case does not need to be opened at any time to change function or handing of locks

# Designed and engineered for optimal performance.

These premium performance locksets and latchsets are built with a stainless steel chassis for extra security and corrosion resistance.


With a wide variety of lock functions, the dormakaba MS2600 & MS2900 series mortice locks will have the right function to meet your hardware specification requirements.

## Lock functions

The dormakaba MS2600 & MS2900 Series range is complete with Nightlatch, Deadbolt, Vestibule, Sliding Deadbolt and Combination Lock functions.

## Recommended Applications

- Offices
- Retail complexes
- Schools and Universities
- Municipal buildings
- Hotels
- Apartments
- Warehouses
- Airports
- Hospitals and Nursing Homes
- Residential



# Technical details


<b>Applications</b>	For use on commercial and residential, timber and metal hinged and sliding doors, where self-latching and deadbolt functions are required.
<b>Construction</b>	Case, cover and faceplate are constructed of 304 grade stainless steel. The lock hubs, latchbolt, auxiliary deadlatch and deadbolts are constructed of high grade sintered stainless steel. Springs are of high grade spring steel.
<b>Backset</b>	Standard 60mm backset. 95mm optional backset except sliding deadbolts.
<b>Handing and Functions</b>	The MS2600 Series lock body is non-handed to suit left hand or right hand open in or open out doors and functions are easily changeable on site. For convenience, handed functions can be ordered from the factory and are supplied with turn adaptors and cams (refer to functions). Cylinders and furniture sold separately.
<b>Door Thickness</b>	32mm to 50mm as standard. Thicker door kits are available on application.
<b>Door Preparation</b>	The MS2600 Series fits a standard 120mm x 90mm x 20mm (175mm x 25mm faceplate) mortice. The MS2900 Series fits a 120mm x 125mm x 20mm (175mm x 25mm faceplate) mortice.
<b>Latchbolt</b>	14mm latchbolt, including a separate auxiliary deadlatch with a 8mm projection.
<b>Door Gap</b>	To facilitate latch retraction and maintain lock security the gap between the faceplate and the strike plate should not be less than 3mm or greater than 6.0mm. <b>Note:</b> Fire doors require a 3mm gap to meet AS1905.1.
<b>Strikes</b>	One universal "T" shape standard lip strike plate (32mm) is supplied as standard with all latching swing door mortice locks. Deadbolt mortice locks for hinged and sliding doors are supplied with flat strike plate no lip containing 6 fixing holes for additional security.
<b>Anti-Lockout (Kick Off)</b>	This function is built into the MS2602 Series lock and can be easily activated or de-activated. Primary lock is supplied de-activated; refer to functions for further information.
<b>Cylinder</b>	Standard dormakaba 130 type oval shaped cylinder (refer to cam options for functions). Cylinders are not supplied as standard.
<b>Hold Back</b>	The MS2600, MS2602 & MS2604 Series (locking) offers a latch hold back function via a 130 cylinder with a hold back cam (CAM KH) ordered separately, with or without cylinder.
<b>Rebate Kits</b>	Rebate kits are available as accessory to convert the MS2600 & MS2900 Series lock or latch into a rebated unit (refer to accessory section).
<b>Fabricator Kits</b>	Fabricator kits are available as an accessory to accommodate installation on metal/aluminium doors and frames (refer to accessory section).
<b>Electric Strikes</b>	The dormakaba MS2600 & MS2900 Series with latch is compatible with most common electric strikes.
<b>Security</b>	dormakaba MS2602 Series lock conforms to level SL8 (Physical Security) in accordance with Australian lock standard AS4145.2-2008.
<b>Durability</b>	dormakaba MS2602 Series lock conforms to level D8 (Durability) in accordance with Australian lock standard AS4145.2-2008.
<b>Note</b>	All tests to Australian standards were performed by an independent NATA accredited laboratory.
<b>Fire Rating</b>	The dormakaba MS2600 Series has been successfully tested on fire door assemblies in accordance with AS1905 Part 1: Fire resistant doorsets. <b>Note:</b> 1. Doors in an escape path require free egress and lever furniture to allow escape in direction of travel. 2. Compatibility for use with varying fire door cores should be checked with dormakaba.

# MS2600 Series Mortice Lock

## Ordering procedure chart - standard backset

<b>MS2</b>	<b>6</b>	<b>0</b>	<b>2</b>	<b>KXT</b>	<b>R</b>	<b>SSS</b>
<b>Prefix</b> MS2	<b>Backset</b> 6 = 60mm 9 = 95mm	<b>Door Material</b> 0 = Timber	<b>Function</b> 0 = Nightlatch OB = Nightlatch 1 = Deadbolt 1B = Deadbolt 2 = Vestibule 3 = Sliding Deadbolt 3B = Sliding Deadbolt 4 = Combination	<b>Lock Function</b> KH = Hold back latch KJL = Lock & unlock locking bar KJR = Lock & unlock locking bar KM = Retract latchbolt KUL = Lock/unlock retract latch KUR = Lock/unlock retract latch KVL = Egress turn KVR = Egress turn KW = Turn adaptor activation KX = Retract latchbolt KXA = Lock/unlock retract latch KY = Deadbolt & sliding deadbolt lock/unlock KZ = Lock & unlock locking bar	<b>Handing</b> L = Left R = Right	<b>Finish</b> SSS = Satin Stainless Steel PSS = Polished Stainless Steel  Note: Other finishes available on application
<b>Ordering Procedure</b>						
Nominate backset required e.g. 60mm			<b>MS26</b>			
Nominate Door Material e.g. timber			<b>MS260</b>			
Select function e.g. Vestibule lock			<b>MS2602</b>			
Determine lock function e.g. cylinder outside turnknob inside			<b>MS2602KXT</b>			
Nominate hand e.g. right hand			<b>MS2602KXTR</b>			
Specify finish e.g. Satin Stainless Steel			<b>MS2602KXTRSSS</b>			
<b>P</b> = Privacy Function <b>T</b> = Turnbutton Adaptor <b>A</b> = Anti-lockout  305KJ = Cylinder turn lock/unlock locking bar 305KM = Cylinder turn retract latch 305KP = Clinder turn fix privacy 305KT = Clinder turn adaptor 311KM = Egress turn retract latch 311KP = Egress turn privacy 311KV = Egress turn						

### Legend



# MS2600 - Nightlatch

## MS2600

Mortice nightlatch functions are operated by key outside and by turn snib or key inside and lock automatically when the door is closed. For all nightlatch function options specify primary mortice lock e.g. MS2600SSS. This lock can then be easily adapted to suit the function required.

## MS2600B

Mortice nightlatch functions are operated by key outside and by turn snib or cylinder turn inside and lock automatically when the door is closed. Cylinder egress turns retract latch bolt in a downward motion.

## Applications

Cupboards, Risers, Switchboards, Duct doors, Gates.

## Features

Stainless Steel case with stainless steel latch, dead latching bolt, face plate and striker plate as standard. No handed components fully reversible.

### Primary Lock MS2600 includes:

- 1 x Mortice lock body
- 1 x Universal strike plate
- 1 x Strike plate keeper box
- 2 x Cylinder retaining pins


### Primary Lock MS2600B includes:

- 1 x Mortice lock body
- 1 x Universal strike plate
- 1 x Strike plate keeper box
- 2 x Cylinder retaining pins





















MS2600 & MS2900 Series Vestibule Locks

Model number	MS2600 & MS2600B	MS2900 & MS2900B
Dimension A	60mm	95mm
Dimension B	84mm	118mm





## MS2600 Series Functions

Function code	Description	Outside	Inside
<b>MS2600 Nightlatch Functions</b>			
<b>MS2600KX</b> 	<b>Single Cylinder Nightlatch</b> Latch by key from outside only.	KX 	
<b>MS2600KXX</b> 	<b>Double Cylinder Nightlatch</b> Latch by key from either side.	KX 	KX 
<b>MS2600KXT</b> 	<b>Cylinder &amp; Turn Nightlatch</b> Latch by key outside or turn inside.	KX 	SA-KX 
<b>MS2600T</b> 	<b>Turn Nightlatch</b> Latch by turn inside.		SA-KX 
<b>MS2600B Nightlatch Functions</b>			
<b>MS2600BKX-305KM</b> 	<b>Cylinder &amp; Cylinder Turn Nightlatch</b> Latch by key outside or cylinder turn inside.  <i>Note: Primary lock MS2600 is not used. Use MS2600B.</i>	KX 	KM  FA305 
<b>MS2600BKX-311KV</b> 	<b>Cylinder &amp; Cylinder Egress Turn Nightlatch</b> Latch by key outside or egress turn inside.  <i>Note: Primary lock MS2600 is not used. Use MS2600B.</i>	KX 	KVL or KVR  FA311 

# MS2601 - Deadbolt

## MS2601

Mortice deadbolt functions are operated by key outside and by turn snib or key inside. Locked by key or turnsnib when door is closed. For all deadbolt function options specify primary mortice lock e.g. MS2601SSS. This lock can then be easily adapted to suit the function required.

## MS2601B

Mortice deadbolt functions are operated by key outside and by turn snib or cylinder turn inside. Locked by key or turnsnib when door is closed. Cylinder egress turns retract deadbolt in a downward motion.

## Applications

Additional security requirement applications, Pivot doors, Gates, Push or Pull plate operated doors.

## Features


Stainless Steel case with stainless steel deadbolt, face plate and striker plate as standard. No handed components fully reversible.

### Primary Lock MS2601 includes:

- 1 x Mortice lock body
- 1 x Deadbolt strike plate
- 2 x Cylinder retaining pins


### Primary Lock MS2601B includes:

- 1 x Mortice lock body
- 1 x Deadbolt strike plate
- 2 x Cylinder retaining pins
- 1 x SA-KZ Turn Adaptor





















MS2601 & MS2901 Deadbolt Locks

Model number	MS2601 & MS2601B	MS2901 & MS2901B
Dimension A	60mm	95mm
Dimension B	84mm	118mm



## MS2601 Series Functions

Function code	Description	Outside	Inside
<b>MS2601 Deadbolt Functions</b>			
<b>MS2601KY</b> 	<b>Single Cylinder Deadbolt</b> Deadbolt extended or retracted by key from outside side only.	KY 	
<b>MS2601KYKY</b> 	<b>Double Cylinder Deadbolt</b> Deadbolt extended or retracted by key either side.	KY 	KY 
<b>MS2601KWT</b> 	<b>Cylinder &amp; Turn Deadbolt</b> Deadbolt extended or retracted by key from outside or turn from inside.	KW 	SA-KY 
<b>MS2601T</b> 	<b>Turn Deadbolt</b> Deadbolt extended or retracted by turn from inside.		SA-KY 
<b>MS2601B Deadbolt Functions</b>			
<b>MS2601BPT</b> 	<b>Privacy Deadbolt</b> Deadbolt extended or retracted by turn from inside. Emergency unlocking from outside by slot or turn.		SA-KZ 
<b>MS2601BKM-311KM</b> 	<b>Escape Deadbolt - w/Cylinder Egress Turn</b> Deadbolt extended or retracted by key from outside and egress turn inside only retracts bolt.  <i>Note: MS2601B primary lock body is not used for this function. Special mortice lock case.</i>	KM 	KM FA311 
<b>MS2601BKM-311KV</b> 	<b>Cylinder &amp; Turn Deadbolt - w/Cylinder Egress Turn</b> Deadbolt extended or retracted by key from outside or egress turn inside.  <i>Note: MS2601B primary lock body is not used for this function. Special mortice lock case.</i>	KM 	KVL or KVR FA311 

# MS2602 - Vestibule Lock

## MS2602

Mortice vestibule latch functions operated by key, turn or handle outside and by turn snib, cylinder turn, key and handle inside. These vestibule locks allow for single action egress in compliance with building egress codes. Cylinder egress turns unlock the lock in a downward motion.

For all vestibule function options specify primary mortice lock e.g. MS2602SSS. This lock can then be easily adapted to suit function required.

## Applications


Classrooms, Storerooms, Cupboards, Fire doors, Stairways and all emergency exit applications.

## Features


Stainless Steel case with stainless steel latch, dead latching bolt, face plate and striker plate as standard. No handed components fully reversible.

## Primary Lock MS2602 includes:


















- 1 x Mortice lock body
- 1 x Universal strike plate
- 1 x Strike plate keeper box
- 2 x Cylinder retaining pins
- 2 x Split spindles and springs
- 1 x SA-KZ Turn Adaptor





























Model number	MS2602	MS2902
Dimension A	60mm	95mm
Dimension B	84mm	118mm














## MS2602 Series Functions

Function code	Description	Outside	Inside
<b>MS2602 Vestibule Lock Functions</b>			
<b>MS2602KX</b> 	<b>Storeroom Lock</b> Latch by inside handle at all times for immediate exit. Key outside retracts latchbolt only. Outside handle always rigid.	KX 	
<b>MS2602KX</b> 	<b>Escape Lock</b> Latch by inside handle at all times for immediate exit. Key outside retracts latchbolt only.	KX 	
<b>MS2602KZ</b> 	<b>Classroom Lock</b> Latch by handle either side unless handle is made inoperative by key from outside. Inside handle always free for exit.	KZ 	
<b>MS2602KZ</b> 	<b>Single Cylinder Exit Door Lock</b> Latch by handle either side unless handle is made inoperative by key from inside. Inside handle always free for exit.		KZ 
<b>MS2602KXAT</b> 	<b>Emergency Classroom Lock</b> Latch by handle either side unless outside handle is made inoperative by key from outside. Cylinder has dual function - when turned towards strike cylinder unlocks outside handle, if turned further cylinder will also retract latchbolt. Inside handle always free for exit.	KXA 	SA-KJL or SA-KJR 
<b>MS2602KXKZ</b> 	<b>Double Cylinder Vestibule Lock</b> Latch by handle either side unless outside handle has been made inoperative by key inside, Key outside retracts latchbolt only. Inside handle always free for exit.	KX 	KZ 
<b>MS2602KZKZ</b> 	<b>Double Cylinder Communicating Exit Lock</b> Latch by handle either side unless outside handle locked by outside or inside key. Inside handle always free for exit.	KZ 	KZ 

## MS2602 Series Functions

Function Code	Description	Outside	Inside
<b>MS2602 Vestibule Lock Functions</b>			
<b>MS2602KWTA</b> 	<b>Entrance &amp; Office Lock</b> Latch by handle either side unless outside handle has been made inoperative by key or inside turn. Unlocking by key or turn. Inside handle always free for exit. Anti-lockout (kick-off) as standard.	KW 	SA-KZ 
<b>MS2602KTA-305KJ</b> 	<b>Entrance &amp; Office Lock w/Cylinder Turn</b> Latch by handle either side unless outside handle has been made inoperative by key or inside turn. Unlocking by key or turn. Inside handle always free for exit. Anti-lockout (kick-off) as standard.	SA-KT 	KJL or KJR  FA305 
<b>MS2602KXT</b> 	<b>Entrance Lock</b> Latch by handle either side unless outside handle has been made inoperative by inside turn. Key from outside retracts latchbolt only. Inside handle always free for exit.	KX 	SA-KZ 
<b>MS2602KX-305KJ</b> 	<b>Entrance Lock w/Cylinder Turn</b> Latch by handle either side unless outside handle has been made inoperative by inside turn. Key from outside retracts latchbolt only. Inside handle always free for exit.	KX 	KJL or KJR  FA305 
<b>MS2602TA</b> 	<b>Patio Lock</b> Latch by handle either side unless outside handle locked by inside turn. Inside handle always free for exit. Anti-lockout (kick-off) as standard.		SA-KZ 
<b>MS2602TA-305KT</b> 	<b>Patio Lock w/Cylinder Turn</b> Latch by handle either side unless outside handle locked by inside turn. Inside handle always free for exit. Anti-lockout (kick-off) as standard.	SA-KJL or SA-KJR 	SA-KT  FA305 
<b>MS2602T</b> 	<b>Turn Exit Door Lock</b> Latch by handle either side unless outside handle locked by inside turn. Inside handle always free for exit. Anti-lockout (kick-off) NOT standard.		SA-KZ 
<b>MS2602T-305KT</b> 	<b>Turn Exit Door Lock w/Cylinder Turn</b> Latch by handle either side unless outside handle locked by inside turn. Inside handle always free for exit. Anti-lockout (kick-off) NOT standard.	SA-KJL or SA-KJR 	SA-KT  FA305 

# MS2602 Series Functions

Function Code	Description	Outside	Inside
<b>MS2602 Vestibule Lock Functions</b>			
<b>MS2602PTA</b> 	<b>Privacy Latch</b> Latch by handle either side unless outside handle locked by inside turn. Emergency unlocking from outside by slot or turn. Inside handle always free for exit. Anti-lockout (kick-off) as standard.		SA-KZ 
<b>MS2602PTA-305KP</b> 	<b>Privacy Latch w/Cylinder Turn</b> Latch by handle either side unless outside handle locked by inside turn. Emergency unlocking from outside by slot or turn. Inside handle always free for exit. Anti-lockout (kick-off) as standard.	SA-KZ 	SA-KP  FA305 
<b>MS2602PTA-311KP</b> 	<b>Privacy Latch w/Cylinder Egress Turn</b> Latch by handle either side unless outside handle locked by inside turn. Emergency unlocking from outside by slot or turn. Inside handle always free for exit. Anti-lockout (kick-off) as standard.	SA-KZ 	SA-KP  FA311 
<b>MS2602</b> 	<b>Exit Lock</b> Latch retracts by inside handle only. No outside handle.		

# MS2603 - Sliding Door Deadbolt

## MS2603

Mortice sliding deadbolt functions are operated by key outside and by turn snib or key inside. Locked by key or turnsnib when door is closed. For all deadbolt function options specify primary mortice lock e.g. MS2603SSS. This lock can then be easily adapted to suit the function required.

## MS2603B

Mortice deadbolt functions are operated by key outside and by cylinder turn or turn snib inside. Locked by key or turnsnib when door is closed. Cylinder egress turns retract deadbolt in a downward motion.

## Applications

Sliding Door Applications

## Features


Stainless Steel case with stainless steel deadbolt, face plate and striker plate as standard. No handed components fully reversible.

### Primary Lock MS2603 includes:

- 1 x Mortice lock body
- 1 x Deadbolt strike plate
- 2 x Cylinder retaining pins


### Primary Lock MS2603B includes:

- 1 x Mortice lock body
- 1 x Deadbolt strike plate
- 2 x Cylinder retaining pins
- 1 x SA-KZ Turn Adaptor


















MS2603 & MS2903 Series Sliding Door Deadbolt Locks

Model number	MS2603 & MS2603B	N/A
Dimension A	60mm	N/A
Dimension B	84mm	N/A





# MS2603 Series Functions

Function Code	Description	Outside	Inside
<b>MS2603 Deadbolt Functions</b>			
<b>MS2603KY</b> 	<b>Single Cylinder Deadbolt</b> Hookbolt extended or retracted by key from outside only. Reversible.	KY 	
<b>MS2603KYKY</b> 	<b>Double Cylinder Deadbolt</b> Hookbolt extended or retracted by key from either side.	KY 	KY 
<b>MS2603KWT</b> 	<b>Cylinder &amp; Turn Deadbolt</b> Hookbolt extended or retracted by key from outside or turn from inside.	KW 	SA-KY 
<b>MS2603T</b> 	<b>Turn Deadbolt</b> Hookbolt extended or retracted by turn from inside.		SA-KY 
<b>MS2603B Deadbolt Functions</b>			
<b>MS2603BPT</b> 	<b>Privacy Deadbolt</b> Hookbolt extended or retracted by turn from inside. Emergency unlocking from outside by slot or turn.		SA-KZ 
<b>MS2603BKM-311KV</b> 	<b>Deadbolt - w/Cylinder Egress Turn</b> Hookbolt extended or retracted by key from outside or egress turn inside.  Note: MS2603B primary lock body is not used for this function.	KM 	KVL or KVR      FA311 

# MS2604 - Combination Lock

## MS2604

Mortice combination latch functions operated by key, turn or handle outside and by turn snib, cylinder turn, key and handle inside. These combination locks allow for both the inside and outside handles to be locked or unlocked. Cylinder egress turns unlock the lock in a downward motion.

For all combination function options specify base mortice lock e.g. MS2602SSS. This lock can then be easily adapted to suit function required.

## Applications


Offices, Residential and Terraces.

## Features

Stainless Steel case with stainless steel latch, dead latching bolt, face plate and striker plate as standard. No handed components fully reversible.


### Primary Lock MS2602 includes:

- 1 x Mortice lock body
- 1 x Universal strike plate
- 1 x Strike plate keeper box
- 2 x Cylinder retaining pins
- 2 x Split spindles and springs
- 1 x Universal strike plate
- 2 x Cylinder retaining pins
- 1 x SA-KZ Turn Adaptor






















MS2604 Series Combination Locks



















Model number	MS2604	MS2904
Dimension A	60mm	95mm
Dimension B	84mm	118mm












## MS2604 Series Functions

Function code	Description	Outside	Inside
<b>MS2604 Combination Lock Functions</b>			
<b>MS2604KZ</b> 	<b>Glass Door Locking Latch</b> Latchbolt by handle either side, unless both handles are made inoperative by outside cylinder.	KZ 	
<b>MS2604KZ</b> 	<b>Cylinder Patio Lock</b> Latchbolt by handle either side unless inside cylinder locks both handles.		KZ 
<b>MS2604KZKZ</b> 	<b>Double Cylinder Entry Lock</b> Latchbolt by handle either side, unless both handles are locked by key from either side. Key from either side unlocks both sides.	KZ 	KZ 
<b>MS2604KXKZ</b> 	<b>Internal Cylinder Lock</b> Latchbolt by handle either side, unless both handles are locked by inside cylinder. External cylinder retracts Latchbolt.	KX 	KZ 
<b>MS2604KHKZ</b> 	<b>Residential Entrance Lock</b> Cylinder both sides. External cylinder retracts the latchbolt. Latch by inside handle except when inside cylinder locks inside handle. Latch hold back from external 360° key rotation.	KH 	KZ 
<b>MS2604KUKU</b> 	<b>Double Cylinder Courtroom Lock</b> Latch by handle either side unless handles are locked by key from either side. Key from either side unlocks both handles and withdraws latchbolt.  <i>Note: MS2602 primary lock body is not used for this function. When ordering specify MS2604KUKU.</i>	KUL or KUR 	KUL or KUR 
<b>MS2604KWT</b> 	<b>Office Lock</b> Latch by handle either side, except when outside cylinder or turn inside locks both handles.	KW 	SA-KZ 

## MS2604 Series Functions

Function code	Description	Outside	Inside
<b>MS2604 Combination Lock Functions</b>			
<b>MS2604KT-305KJ</b> 	<b>Office Lock w/Cylinder Turn</b> Latch by handle either side, except when outside cylinder or turn inside locks both handles.	SA-KT 	KJL or KJR FA305 
<b>MS2604KXT</b> 	<b>Entrance &amp; Office Lock</b> Latchbolt by handle either side, except when outside handle has been made inoperative by inside turn. External cylinder retracts latchbolt.	KX 	SA-KZ 
<b>MS2604TA</b> 	<b>Turn Patio Lock</b> Latchbolt by handle from either side except when handles are made inoperative by turn inside. Has anti lockout as standard.		SA-KZ 
<b>MS2604PT</b> 	<b>Privacy Latch</b> Latchbolt by handle from either side unless both handles are locked by inside turn. Emergency unlocking from outside by slotted emergency turn button or turn snib (with coin, screwdriver etc).		SA-KZ 
<b>MS2604PT-305KP</b> 	<b>Privacy Latch w/Cylinder Turn</b> Latchbolt by handle from either side unless both handles are locked by inside turn. Emergency unlocking from outside by slotted emergency turn button or turn snib (with coin, screwdriver etc).	SA-KZ 	SA-KP FA305 
<b>MS2604PT-311KP</b> 	<b>Privacy Latch w/Cylinder Egress Turn</b> Latchbolt by handle from either side unless both handles are locked by inside turn. Emergency unlocking from outside by slotted emergency turn button or turn snib (with coin, screwdriver etc).	SA-KZ 	SA-KP FA311 
<b>MS2604PTA</b> 	<b>Anti-lockout Privacy Latch</b> Latchbolt by handle from either side unless both handles are locked by inside turn. Emergency unlocking from outside by slotted emergency turn button or turn snib (with coin, screwdriver etc). Has antilockout as standard.		SA-KZ 

# MS2604 Series Functions

Function code	Description	Outside	Inside	
<b>MS2604 Combination Lock Functions</b>				
<p><b>MS2604PTA-305KP</b></p> 	<p><b>Anti-lockout Privacy Latch w/Cylinder Turn</b>                      Latchbolt by handle from either side unless both handles are locked by inside turn. Emergency unlocking from outside by slotted emergency turn button or turn snib (with coin, screwdriver etc). Has antilockout as standard.</p>	<p>SA-KZ</p> 	<p>SA-KP</p> 	<p>FA305</p> 
<p><b>MS2604PTA-311KP</b></p> 	<p><b>Anti-lockout Privacy Latch w/Cylinder Egress Turn</b>                      Latchbolt by handle from either side unless both handles are locked by inside turn. Emergency unlocking from outside by slotted emergency turn button or turn snib (with coin, screwdriver etc). Has antilockout as standard.</p>	<p>SA-KZ</p> 	<p>SA-KP</p> 	<p>FA311</p> 
<p><b>MS2604</b></p> 	<p><b>Passage Latch</b>                      Non-locking both handles always free. Either handle retracts latchbolt.</p>			


# MS2600 & MS2900 Series

## Cams



### Cam KH

Function - hold back latchbolt



### Cam KJL /KJR

Function - lock/unlock locking bar



### Cam KM


Function - retract latchbolt



### Cam KUL/KUR

Function - lock/unlock retract latch

Suit: MS2604KUKU Mortice Lock



### Cam KVL/KVR


Function - egress turn



### Cam KW


Function - turn adaptor activation

Used with adaptor SA-KZ & SA-KY



### Cam KX


Function - retract latchbolt



### Cam KXA

Function - lock/unlock retract latch

Used with adaptor SA-KJL or SA-KJR & cam KJL or KJR



### Cam KY

Function - deadbolt & sliding deadbolt lock/unlock




### Cam KZ

Function - lock/unlock locking bar

# MS2600 & MS2900 Series

## Adaptors and Cylinder Turns




### Adaptor SA-JL

Function - locking turn adaptor



### Adaptor SA-JR

Function - locking turn adaptor




### Adaptor SA-KP

Function - used on cylinder turn with adaptor SA-KZ




### Adaptor SA-KT

Function - used on cylinder turn with adaptor SA-KJL or SA-KJR or cylinder & cam KJL or KJR




### Adaptor SA-KX

Function - retract latchbolt



### Adaptor SA-KY

Function - deadbolt & sliding deadbolt lock/unlock



### Adaptor SA-KZ

Function - locking turn adaptor



### FA305 Cylinder Turn

Function - lock/unlock

#### Code

FA305SCP

FA305-KJL-SCP

FA305-KJR-SCP

FA305-KM-SCP

FA305-KP-SCP

FA305-KT-SCP

#### Cam

No Cam


KJL Cam

KJR Cam

KM Cam

KP Cam

KT Cam



### FA311 Cylinder Egress Turn

Function - lock/unlock

#### Code

FA311SCP

FA311-KM-SCP

FA311-KP-SCP

FA311-KVL-SCP

FA311-KVR-SCP

#### Cam

No Cam

KM Cam


KP Turnbar

KVL Cam


KVR Cam

# MS2600 & MS2900 Series


## Extended Strikes




**MS200**  
Standard Strike 20mm




**MS201**  
Extended Strike 32mm




**MS202**  
Extended Strike 36mm




**MS203**  
Extended Strike 42mm



**MS204**  
Extended Strike 56mm




**MS205**  
Extended Strike 65mm




**MS206**  
Extended Strike 90mm




# MS2600 & MS2900 Series Rebate and Fabricator Kits




**MA840**  
Rebate Set - suit MS2600, MS2600B, MS2602, MS2604




**MA841**  
Rebate Set - suit MS2601, MS2601B, MS2603, MS2603B



**MS301**  
Fabricator Fixing Tabs




**MS302**  
Fabricator Strike Box Kit



**MS303**  
Fabricator Kit complete


# MS2600 & MS2900 Series

## Face Plate and Strike Plates




### MS1FPDK

Face Plate and Strike Plate - suit deadbolt MS2601, MS2601B, MS2603 & MS2603B



### MS2FPDK

Face Plate and Strike Plate - suit MS2600, MS2600B & MS2602



### MS4FPDK

Face Plate and Strike Plate - suit MS2604 Passage Latch





**Door  
Hardware**



**Entrance  
Systems**



**Electronic  
Access & Data**



**Interior Glass  
Systems**



**Lodging  
Systems**



**Mechanical  
Key Systems**



**Safe Locks**



**Services**

**dormakaba Australia**

Head Office  
12-13 Dansu Court  
Hallam VIC 3803  
T 1800 675 411  
info.au@dormakaba.com  
www.dormakaba.com.au

**dormakaba New Zealand**

Head Office  
Building P, 61-69 Patiki Road  
Avondale, Auckland 1026  
T: 0800 436 762  
info.nz@dormakaba.com  
www.dormakaba.co.nz