






# Dormakaba PHA/PHB Panic Exit Hardware

## Quick Selection Guide

- Products listed below are intended to demonstrate the 'typical solution' to each of the illustrated door configurations using modular components.
- For non-modular set types, refer to the DORMA PHA/PHB Technical Manual for specific set numbers
- For door widths in excess of 1000mm suffix set # with 'W'
- For door heights over 2265mm suffix set # with 'H'
- For doors over width and height suffix set # with 'WH'

<b>PHA 2000 Series Push Bar</b>	<b>Door Configuration</b>	<b>PHB 3000 Series Push Pad</b>																
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Fire Rated</td> <td style="text-align: center;">Standard</td> </tr> <tr> <td style="text-align: center;"><b>PHA201</b></td> <td style="text-align: center;"><b>PHA202</b></td> </tr> <tr> <td colspan="2" style="text-align: center;">Comprised of</td> </tr> <tr> <td style="text-align: center;">2102, 2104</td> <td style="text-align: center;">2102, 2104</td> </tr> </table>	Fire Rated	Standard	<b>PHA201</b>	<b>PHA202</b>	Comprised of		2102, 2104	2102, 2104	 <p>Single Door 1 Point Locking Rim Device</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Fire Rated</td> <td style="text-align: center;">Standard</td> </tr> <tr> <td style="text-align: center;"><b>PHB303</b></td> <td style="text-align: center;"><b>PHB302</b></td> </tr> <tr> <td colspan="2" style="text-align: center;">Comprised of</td> </tr> <tr> <td style="text-align: center;">3104</td> <td style="text-align: center;">3102</td> </tr> </table>	Fire Rated	Standard	<b>PHB303</b>	<b>PHB302</b>	Comprised of		3104	3102
Fire Rated	Standard																	
<b>PHA201</b>	<b>PHA202</b>																	
Comprised of																		
2102, 2104	2102, 2104																	
Fire Rated	Standard																	
<b>PHB303</b>	<b>PHB302</b>																	
Comprised of																		
3104	3102																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Fire Rated</td> <td style="text-align: center;">Standard</td> </tr> <tr> <td style="text-align: center;"><b>PHA203</b></td> <td style="text-align: center;"><b>PHA204</b></td> </tr> <tr> <td colspan="2" style="text-align: center;">Comprised of</td> </tr> <tr> <td style="text-align: center;">2102, 2104, 2204, 2203</td> <td style="text-align: center;">2101, 2104, 2204, 2202</td> </tr> </table>	Fire Rated	Standard	<b>PHA203</b>	<b>PHA204</b>	Comprised of		2102, 2104, 2204, 2203	2101, 2104, 2204, 2202	 <p>Single Door, 2 Point Locking Vertical Rod Device</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Fire Rated</td> <td style="text-align: center;">Standard</td> </tr> <tr> <td style="text-align: center;"><b>PHB304</b></td> <td style="text-align: center;"><b>PHB305</b></td> </tr> <tr> <td colspan="2" style="text-align: center;">Comprised of</td> </tr> <tr> <td style="text-align: center;">3104, 3202, 3203</td> <td style="text-align: center;">3102, 3201, 3203</td> </tr> </table>	Fire Rated	Standard	<b>PHB304</b>	<b>PHB305</b>	Comprised of		3104, 3202, 3203	3102, 3201, 3203
Fire Rated	Standard																	
<b>PHA203</b>	<b>PHA204</b>																	
Comprised of																		
2102, 2104, 2204, 2203	2101, 2104, 2204, 2202																	
Fire Rated	Standard																	
<b>PHB304</b>	<b>PHB305</b>																	
Comprised of																		
3104, 3202, 3203	3102, 3201, 3203																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Fire Rated</td> <td style="text-align: center;">Standard</td> </tr> <tr> <td style="text-align: center;"><b>PHA206</b></td> <td style="text-align: center;"><b>PHA207</b></td> </tr> <tr> <td colspan="2" style="text-align: center;">Comprised of</td> </tr> <tr> <td style="text-align: center;">2102, 2104, 2204, 2203</td> <td style="text-align: center;">2101, 2104, 2204, 2202</td> </tr> </table>	Fire Rated	Standard	<b>PHA206</b>	<b>PHA207</b>	Comprised of		2102, 2104, 2204, 2203	2101, 2104, 2204, 2202	 <p>Single Door 3 Point Locking Rim + Vertical Rod</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Fire Rated</td> <td style="text-align: center;">Standard</td> </tr> <tr> <td style="text-align: center;"><b>PHB306</b></td> <td style="text-align: center;"><b>PHB307</b></td> </tr> <tr> <td colspan="2" style="text-align: center;">Comprised of</td> </tr> <tr> <td style="text-align: center;">3104, 3203, 3203</td> <td style="text-align: center;">3102, 3201, 3203</td> </tr> </table>	Fire Rated	Standard	<b>PHB306</b>	<b>PHB307</b>	Comprised of		3104, 3203, 3203	3102, 3201, 3203
Fire Rated	Standard																	
<b>PHA206</b>	<b>PHA207</b>																	
Comprised of																		
2102, 2104, 2204, 2203	2101, 2104, 2204, 2202																	
Fire Rated	Standard																	
<b>PHB306</b>	<b>PHB307</b>																	
Comprised of																		
3104, 3203, 3203	3102, 3201, 3203																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Fire Rated</td> <td style="text-align: center;">Standard</td> </tr> <tr> <td style="text-align: center;"><b>PHA208</b></td> <td style="text-align: center;"><b>PHA210</b></td> </tr> <tr> <td colspan="2" style="text-align: center;">Comprised of</td> </tr> <tr> <td style="text-align: center;">2x 2102, 2x 2104, 2204, 2203</td> <td style="text-align: center;">2x2101, 2x 2104, 2204, 2202</td> </tr> </table>	Fire Rated	Standard	<b>PHA208</b>	<b>PHA210</b>	Comprised of		2x 2102, 2x 2104, 2204, 2203	2x2101, 2x 2104, 2204, 2202	 <p>Double Door Set Active Leaf 1 Point Locking (Rim Device) Inactive Leaf 2 Point Locking (Vertical Rod)</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Fire Rated</td> <td style="text-align: center;">Standard</td> </tr> <tr> <td style="text-align: center;"><b>PHB308</b></td> <td style="text-align: center;"><b>PHB310</b></td> </tr> <tr> <td colspan="2" style="text-align: center;">Comprised of</td> </tr> <tr> <td style="text-align: center;">2x 3104, 3203 3202</td> <td style="text-align: center;">2x 3102, 3203, 3201</td> </tr> </table>	Fire Rated	Standard	<b>PHB308</b>	<b>PHB310</b>	Comprised of		2x 3104, 3203 3202	2x 3102, 3203, 3201
Fire Rated	Standard																	
<b>PHA208</b>	<b>PHA210</b>																	
Comprised of																		
2x 2102, 2x 2104, 2204, 2203	2x2101, 2x 2104, 2204, 2202																	
Fire Rated	Standard																	
<b>PHB308</b>	<b>PHB310</b>																	
Comprised of																		
2x 3104, 3203 3202	2x 3102, 3203, 3201																	
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Fire Rated</td> <td style="text-align: center;">Standard</td> </tr> <tr> <td style="text-align: center;"><b>PHA209</b></td> <td style="text-align: center;"><b>PHA212</b></td> </tr> <tr> <td colspan="2" style="text-align: center;">Comprised of</td> </tr> <tr> <td style="text-align: center;">2x 2102, 2x 2104, 2x 2204, 2x 2203</td> <td style="text-align: center;">2x 2101, 2x 2104, 2x 2204, 2x 2202</td> </tr> </table>	Fire Rated	Standard	<b>PHA209</b>	<b>PHA212</b>	Comprised of		2x 2102, 2x 2104, 2x 2204, 2x 2203	2x 2101, 2x 2104, 2x 2204, 2x 2202	 <p>Double Door Set 2 Point Locking Vertical Rod Devices</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Fire Rated</td> <td style="text-align: center;">Standard</td> </tr> <tr> <td style="text-align: center;"><b>PHB309</b></td> <td style="text-align: center;"><b>PHB312</b></td> </tr> <tr> <td colspan="2" style="text-align: center;">Comprised of</td> </tr> <tr> <td style="text-align: center;">2x 3104, 2x 3203, 2x 3202</td> <td style="text-align: center;">2x 3102, 2x 3203, 2x 3201</td> </tr> </table>	Fire Rated	Standard	<b>PHB309</b>	<b>PHB312</b>	Comprised of		2x 3104, 2x 3203, 2x 3202	2x 3102, 2x 3203, 2x 3201
Fire Rated	Standard																	
<b>PHA209</b>	<b>PHA212</b>																	
Comprised of																		
2x 2102, 2x 2104, 2x 2204, 2x 2203	2x 2101, 2x 2104, 2x 2204, 2x 2202																	
Fire Rated	Standard																	
<b>PHB309</b>	<b>PHB312</b>																	
Comprised of																		
2x 3104, 2x 3203, 2x 3202	2x 3102, 2x 3203, 2x 3201																	